

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

2005

© COPYRIGHT 2005

ALL RIGHTS RESERVED.





LOC
J

DIST
/

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	F	REVISED PER ECR-11-010725	24MAY2011	TT	TM
	G	REVISED	19JUN2014	T.S	N.Y



AS SHOWN
20POS(X-KEY) : 1-1827862-0



- ① . 材料 : ガラス入り熱可塑性ポリエステル樹脂 (94V-0)、色 : 黒
2 . 文字の形状、大きさ、および位置については、大略を示すものであり、
詳細を示すものではありません。
③ . LOCK PROTECTORの高さ違いです。
ロックレバー操作の際には、指先を立て押してください。

- ① . MATERIAL:GLASS FILED THERMO PLASTIC
POLYESTER(94V-0), COLOR:BLACK
2 . THE SHAPE, SIZE AND POSITION OF THE CHARACTER
SHOW THE OUTLINE. THEY DON'T SHOW DETAILS.
③ . DIFFERENT HEIGHT OF LOCK PROTECTOR.
A FINGERTIP IS STOOD AND PUSHED
WHEN OPERATING A LOCK LEVER

20	X	9	18.0	20.9	22.6	6.8	1-1827862-0
18	X	8	16.0	18.9	20.6	8.1	1-1827862-9
10	X	4	8.0	10.9	12.6	3.6	1-1827862-5
10	X	4	8.0	10.9	12.6	3.6	9-1827862-5 ③
POS	KEY	n	A	B	C	D	PART NO



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:
mm	$\pm 0.3, \pm 3^\circ$
	0-PLC $\pm$
	1-PLC $\pm$
	2-PLC $\pm$
	3-PLC $\pm$
	4-PLC $\pm$
	ANGLES $\pm$
MATERIAL	FINISH
	-

DWN	25MAY2005
CHK	25MAY2005
APVD	31AUG2005
PRODUCT SPEC	108-78268,78298
APPLICATION SPEC	114-5377
WEIGHT	-
Customer Drawing	

TE TE Connectivity

NAME DYNAMIC D1100D 2.0mm PITCH REC HSG 10-20 POS				RESTRICTED TO	
SIZE	CAGE CODE	DRAWING NO			
A3	00779	C-1827862			
SCALE			SHEET	OF	REV
4:1			1	3	G

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

2005

© COPYRIGHT 2005






ALL RIGHTS RESERVED.

LOC
J







DIST
-

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-



10POS(X-KEY)
1-1827862-5




10POS(X-KEY)
9-1827862-5

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm



TOLERANCES UNLESS OTHERWISE SPECIFIED:

- 0 PLC $\pm$
- 1 PLC $\pm$
- 2 PLC $\pm$
- 3 PLC $\pm$
- 4 PLC $\pm$
- ANGLES $\pm$

MATERIAL

FINISH

DWN	-
CHK	-
APVD	-
PRODUCT SPEC	-
APPLICATION SPEC	-
WEIGHT	-

Customer Drawing



TE Connectivity

NAME DYNAMIC D1100D 2.0mm PITCH REC HSG 10-20 POS			
SIZE A3	CAGE CODE 00779	DRAWING NO C-1827862	RESTRICTED TO -

SCALE 4:1 SHEET 2 OF 3 REV G

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

2005

© COPYRIGHT 2005

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P

LTR

DESCRIPTION

DATE

DWN

APVD

SEE SHEET 1

AS SHOWN

18POS(X-KEY) : 1-1827862-9

CAVITY MARK
(ALPHABET:CAPITAL LETTER)



CIRCUIT NO.

SERIES CODE

LOGO MARK

KEYING MARK


ROW ID



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm



TOLERANCES UNLESS
OTHERWISE SPECIFIED:

0 PLC ±
1 PLC ±
2 PLC ±
3 PLC ±
4 PLC ±
ANGLES ±
FINISH -

MATERIAL

DWN

CHK

APVD

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

Customer Drawing



TE Connectivity

NAME

DYNAMIC D1100D 2.0mm PITCH
REC HSG
10-20 POS

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A3

00779

C-1827862

SCALE

4:1

SHEET

3

OF

3

REV

G

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1-1827862-5](#)