


REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	B	LOGO CHANGE; RESIN MARK ADD	08AUG2018	F.Z	R.B

1. MATERIAL: GLASS FILED THERMO PLASTIC
POLYESTER(94V-0), COLOR: BLACK
2. THE SHAPE, SIZE AND POSITION
OF THE CHARACTER SHOW THE OUTLINE.
THEY DON'T SHOW DETAILS.
3. THE KEYING ARRANGEMENT OF "Y" IS
SYMMETRIC WITH "X".



40	Y	19	38.0	40.9	42.6	2-2333134-0
40	X	19	38.0	40.9	42.6	1-2333134-0
34	Y	16	32.0	34.9	36.6	2-2333134-7
34	X	16	32.0	34.9	36.6	1-2333134-7
32	X	15	30.0	32.9	34.6	1-2333134-6
30	X	14	28.0	30.9	32.6	1-2333134-5
28	X	13	26.0	28.9	30.6	1-2333134-4
26	Y	12	24.0	26.9	28.6	2-2333134-3
26	X	12	24.0	26.9	28.6	1-2333134-3
24	X	11	22.0	24.9	26.6	1-2333134-2
22	X	10	20.0	22.9	24.6	1-2333134-1
POS	KEY	n	A	B	C	PART NO

40POS(X-KEY): 1-2333134-0

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN Fisher ZHU 09-Aug-18	TE Connectivity			
DIMENSIONS: mm		CHK Rick BIAN 09-Aug-18				
TOLERANCES UNLESS OTHERWISE SPECIFIED: $\pm 0.3, \pm 5^\circ$		APVD Rick BIAN 09-Aug-18	NAME DYNAMIC D1100D 2.0mmPITCH REC HSG 22-40POS			
0 PLC $\pm$ 1 PLC ± 0.3 2 PLC ± 0.10 3 PLC ± 0.001 4 PLC ± 0.0001 ANGLES $\pm$		PRODUCT SPEC 108-78268, 78298	SIZE A3			
MATERIAL		APPLICATION SPEC 114-5377	CAGE CODE 00779			
FINISH		WEIGHT -	DRAWING NO C-2333134			
CUSTOMER DRAWING		SCALE 2:1		SHEET 1 OF 3		RESTRICTED TO -
				REV B		

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

2018
















© COPYRIGHT 2018

BY -

ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
		SEE SHEET 1			



22POS(X-KEY): I-2333134-1

26POS(X-KEY): I-2333134-3

28POS(X-KEY): I-2333134-4

30POS(X-KEY): I-2333134-5

32POS(X-KEY): I-2333134-6

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN Fisher ZHU 09-Aug-18	 TE Connectivity		
DIMENSIONS: mm		CHK Rick BIAN 09-Aug-18			
		APVD Rick BIAN 09-Aug-18	NAME DYNAMIC D1100D 2.0mmPITCH REC HSG 22-40POS		
		PRODUCT SPEC 108-78268,78298			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPLICATION SPEC 114-5377	SIZE A3	CAGE CODE 00779	DRAWING NO C-2333134
MATERIAL -		WEIGHT -	RESTRICTED TO -		
FINISH -		CUSTOMER DRAWING	SCALE 2:1	SHEET 2 OF 3	REV B

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

2018





© COPYRIGHT 2018

BY -



ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
		SEE SHEET 1			



34POS(X-KEY): I-2333134-7



24POS(X-KEY): I-2333134-2

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN Fisher ZHU 09-Aug-18	 TE Connectivity		
DIMENSIONS: mm		CHK Rick BIAN 09-Aug-18			
		APVD Rick BIAN 09-Aug-18			
		PRODUCT SPEC 108-78268,78298			
MATERIAL -		APPLICATION SPEC 114-5377	NAME DYNAMIC D1100D 2.0mmPITCH REC HSG 22-40POS		
		WEIGHT -	SIZE A3	CAGE CODE 00779	DRAWING NO C-2333134
FINISH -		CUSTOMER DRAWING	SCALE 2:1	SHEET 3 OF 3	REV B

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1-2333134-4](#)