

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

- . - .

©

COPYRIGHT - By -

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

ES

00

P

LTR

DESCRIPTION

DATE

DWN

APVD

B2


ECR-14-006619

12MAY2014

T.Q


W.H

NOTES:

1.MATERIAL: HOUSING - NYLON 66 (UL94V-0)
POST - TIN BRASSKINKING FORMING
4 PLACES

SECT E-E


4 Pos.




SECT E-E

KINKING FORMING
4 PLACES


5 Pos.



SECT E-E

KINKING FORMING
2 PLACES


SECT E-E

RECOMMENDABLE PCB LAYOUT
(PCB THK: 0.8-1.6)

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm



MATERIAL

SEE NOTE

TOLERANCES UNLESS
OTHERWISE SPECIFIED:

±0.2

0-PLC ±-
1-PLC ±-
2-PLC ±-
3-PLC ±-
4-PLC ±-
ANGLES ±-
FINISH

SEE NOTE

DWN S.XU 06NOV03

CHK S.YAO 06NOV03

APVD T. SASAKI 06NOV03

PRODUCT SPEC

108-60016

APPLICATION SPEC

WEIGHT

-

CUSTOMER DRAWING



TE Connectivity

NAME

POST HEADER ASS'Y POLARIZE TYPE (BOX-V TYPE)
(AMP CT CONNECTOR 2mm PITCH)

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A3

00779

C=292251

SCALE

5:1

SHEET

1 OF 2

REV

B2

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[292251-8](#)